



SIMPLY SOME OF THE FINEST RADIATORS AVAILABLE



Concord House - Birmingham



Lingholm Estate - Keswick



Townhead, Slaidburn - Lancs

### Discover Cast Iron Perfection from Carron

A great deal of skill and work goes into producing our range of cast iron radiators, and we are enormously proud to declare that Carron have been awarded the ISO: 9001 accreditation for quality management. Our products also conform to the BS: EN 442 -2 standard.

Our radiators are assembled and finished by hand in Carron's Lincolnshire workshop and are subject to regular inspections, carried out at each stage throughout the

Each section is sand cast using CNC moulds and 3D modelling techniques together with efficient cast production line. The result is a crisp, detailed decoration, which achieves a superior aesthetic quality.

Upon receipt of an order, sections are transferred to our specially built paint shop or to the polishing workshop to receive the first layer of paint or first round of polishing depending on the client's preference.

Once dry, they are put through a rigorous, high pressure testing process. We ensure the total time that every section is tested exceeds more than 24 hours, at a rate well beyond that of normal water pressure found in UK domiciles.

When each radiator has passed the testing phase, they can then be transferred back to the spray team to complete Carron's unique dual painted method: this is where a final round of painting or hand polishing is carried out to produce a high quality finish.

Now completed they are given a final inspection and a Quality Control stamp of approval when they can be prepared for dispatch.

### Application in all environments

Carron traditional radiators are perfectly positioned between the heritage and charm of historic design and the pragmatic efficiency required of 21st century heating.

There is common misconception that cast iron radiators are inefficient and expensive to run compared to modern day counterparts, a point we'd argue. The cast iron sections retain heat for longer and gradually releases the warmth creating a constant warm ambient temperature. Thus, Carron radiators more than match the performance of present heating solutions.

These heating characteristics make them ideally suited to work alongside alternative fuel sources, such as ground source pumps and solar powered heating supplies.

Cast iron is a robust material and its incredible longevity makes it an economical investment, sure to last several generations.

The added visual appeal and styling mean Carron radiators are at home in period homes and restoration projects but are by no means out of place in contemporary dwellings, industrial and cutting edge developments and decor.

Our radiators come with a full 10 year guarantee, such is the trust we have in the quality of work we produce.

Our Hand Burnished/Satin Polished finish is achieved by using abrasives to polish the surface of the Cast Iron. We then apply light oil to the radiator prior to despatch. This will require maintaining by reapplying the oil as required. Any contact with moisture should be avoided and therefore we do not recommend using this finish in bathrooms etc.

Due to the limitation of the printing process/photography, please note that colours may vary from the actual painted finish. We recommend you request a free colour swatch prior to purchase. (Not available for Highlight Polish, Hand Burnished & Satin Polished Finishes.)

As each radiator is hand built and seal compression/machined faces vary slightly, measurements given are for guidance only and should not be used for the location of pipe work.

We reserve the right to amend designs without prior notification.


### Bespoke Finishes

Here at Carron we pride ourselves on the level of bespoke detailing and options we are able to provide. With our onsite paint and spray shop we can finish any radiator from a choice of over 4,000 paints and offer an expert colour matching service to attain even greater levels of customisation.

We also can finish the radiators in a selection of product specific paints which come in a range of finishes, such as semi-gloss, full gloss and satin.



### Standard Paint Finishes





Satin Black



Willow Green



Grey Oxide Primer



Ancient Breeze



Graphite Grey



Hammered Gold





Foundry Grey



Hammered Bronze



Highlight Polish



Hand Burnished



Specialised Finishes


Satin Polished



Antiqued (French Grey)



Vintage Copper





Graphite Grey

Foundry Grey Height 660mm

The Rococo

One of the first produced decorative cast iron radiators, originally manufactured in France in the 1890's it features elegantly scalloped top detail with interwoven decoration.



Height 950mm I Column



Foundry Grey Height 950mm I Column



Antiqued (French Grey) Height 660mm I Column



Height 660mm I Column




Height 560mm I Column



Height 560mm I Column





Above Foundry Grey

660mm | 115mm | 500mm | 110mm | 140mm | 75mm | 237 | 69 | 297 | 87 | 8.1 | 10.1 | \( \sqrt{} \) \( \sqrt{} \) \( \sqrt{} \) \( \sqrt{} \) LD036/037 | | 950mm | | 115mm | 790mm | | 110mm | 140mm | 75mm | 329 | 96 | 410 | 120 | 10.8 | | 12.1 | \( \sqrt{} \sq









Highlight Polish Height 560mm



Hand Burnished Height 460mm

More paint finishes on page 3

Right Hand Burnished

The Rococo

One of the first produced decorative cast iron radiators, originally manufactured in France in the 1890's it features elegantly scalloped top detail with interwoven decoration.



Hand Burnished Height 945mm 2 Columns



Ancient Breeze Height 945mm 2 Columns



Buttermilk Height 560mm 2 Columns



More paint finishes on page 3

Hammered Bronze Height 560mm 2 Columns



Antiqued (French Grey) Height 810mm 3 Columns





Vellum Height 780mm 3 Columns



Satin Black Height 460mm 3 Columns







That I	
Ť	The state of the s

	101
F	

	A C C F		
Code	No. of   Section   Section   Section   Section   Section   Section   Delta 50   Delta 60   Weight (Kg)   Columns Height (A) Width (B) Height (C)   Height (D) Width (E) Depth (F) BTU's Watts   BTU's Watts   Empty   Filled   LD	Wall Stays (Suitable Fitting)   Wall Mount Bracket	Above Hand Burnished

Above		No. of	Section	Section	Section	Section	Section	Section	Delt	a 50	Delt	ta 60	Weigh	t (Kg)	W	all Stay:	s (Suital	ble Fitti	ng)	Wall Mount Bra
Highlight Polish	Code	Columns	Height (A)	Width (B)	Height (C)	Height (D)	Width (E)	Depth (F)	BTU's	Watts	BTU's	Watts	Empty	Filled	LD055	LD056	LD103	LDI04	LD206	HEF035
	LD074/075	2	560mm	185mm	400mm	I10mm	205mm	73mm	288	85	361	106	8.0	9.5	✓	✓	✓	✓	✓	✓
6	LD026/027	2	945mm	185mm	787mm	II0mm	205mm	73mm	489	143	616	181	16.6	19.4	✓	✓	✓	✓	✓	✓
<i>(</i> )																				

Code	No. of Columns		Section Width (B)	Section Height (C)							ta 60  Watts	. 0	( 0)		,	s (Suita		0/	Wall Mount Bracket HEF035
JJC008/009	3	460mm	225mm	280mm	II0mm	250mm	75mm	289	85	362	106	9.6	10.7	✓	✓	✓	✓	✓	<b>√</b>
LD030/031‡	3	780mm	225mm	600mm	II0mm	250mm	66mm	467	137	592	174	15.2	17.0	✓	✓	✓	✓	✓	<b>√</b>
LD032/033	3	810mm	225mm	640mm	II0mm	250mm	75mm	542	159	688	202	17.6	19.7	✓	✓	✓	✓	✓	<b>√</b>

‡ With decoration on front







Hammered Gold Height 675mm

More paint finishes on page 3












(French Grey) Height 675mm


Vellum Height 675mm





Hand Burnished

No. of Section Delta 50 Delta 60 Weight (Kg) Wall Stays (Suitable Fitting) Wall Mount Bracket Columns Height (A) Width (B) Height (C) Height (D) Width (E) Depth (F) BTU's Watts BTU's Watts Empty Filled LD055 LD056 LD103 LD104 LD206 HEF035 LD063/064 | 1 675mm | 195mm | 500mm | 125mm | 220mm | 66mm | 338 | 99 | 426 | 125 | 13.3 | 14.8 | x | \sqrt{} \sqrt{}







French Grey Height 800mm

Height 940mm

The Verona

Originally manufactured in Massachusetts, USA by the American Radiator Company in the 1890's, this truly remarkable design combines cherubs, dragons and lions entwined together with vines running throughout the decoration.




Height 940mm




Height 800mm



Height 650mm





Above Hand Burnished 10

No. of | Section | Delta 50 | Delta 60 | Weight (Kg) | Wall Stays (Suitable Fitting) | Wall Mount Bracket Columns Height (A) Width (B) Height (C) Height (D) Width (E) Depth (F) BTU's Watts BTU's Watts Empty Filled LD055 LD056 LD103 LD104 LD206 650mm | 200mm | 480mm | 110mm | 215mm | 63mm | 259 | 76 | 323 | 95 | 12.4 | 14.1 | x | x | \( \sqrt{} 800mm | 200mm | 640mm | 110mm | 215mm | 62mm | 384 | 112 | 488 | 143 | 14.3 | 16.5 | x | x | \( \sqrt{} \) \( \sqrt{} \) 940mm | 200mm | 780mm | 110mm | 215mm | 67mm | 429 | 126 | 547 | 160 | 16.7 | 19.1 | x | x | \( \sqrt{} \) \( \sqrt{} \)









Graphite Grey

More paint finishes on page 3

### The Orleans

Fluid Art Nouveau runs throughout this design which is distinctly French in origin. A particularly attractive addition to any décor.



Graphite Grey Height 980mm



Height 980mm



Height 980mm




(French Grey) Height 980mm



Height 980mm





Above
Antiqued
(Hammered Gold)

Code
Columns Height (A) Width (B) Height (C) Height (D) Width (E) BTU's Watts BTU's Watts Empty Filled LD055 LD056 LD103 LD104 LD206

LD034/035

Rection Section Section Delta 50 Delta 60 Weight (Kg) Wall Stays (Suitable Fitting) Wall Mount Bracket Empty Filled LD055 LD056 LD103 LD104 LD206 HEF035

HEF035 12







More paint finishes on page 3

## The Daisy

This elegant decorative radiator, first produced in France in the 1890's, was originally intended for use with steam. This design has since evolved to be used on hot water systems and features an eye catching daisy design flowing from top to bottom.









Hammered Gold Height 780mm



Vellum Height 780mm




Buttermilk Height 595mm



Parchment White Height 595mm





-	100000000000000000000000000000000000000					
Above Hand Burnished	Code		Section Height (A)			
	LD053/054	2	595mm	175mm	400mm	
14	LD028/029	2	780mm	175mm	600mm	
14	LD024/025	2	975mm	175mm	790mm	

d					Section Height (C)							Weigh	( 0/			s (Suital		0/	Wall Mount Bracke HEF035
	LD053/054	2	595mm	175mm	400mm	II0mm	66mm	270	79	338	99	8.6	10.1	✓	✓	√	✓	√	✓
	LD028/029	2	780mm	175mm	600mm	95mm	66mm	362	106	456	134	11.3	13.3	✓	✓	✓	✓	✓	✓
	LD024/025	2	975mm	175mm	790mm	95mm	68mm	451	132	572	168	15.1	17.2	✓	✓	✓	✓	✓	✓









Graphite Grey

Satin Polished Height 615mm

More paint finishes on page 3



Hand Burnished Height 920mm

Satin Polished Height 625mm

Hand Burnished Height 330mm

More paint finishes on page 3



A traditional Victorian radiator which was first produced in America in the 1880's.

Today, this simple design gives a contemporary feel, especially when fully polished.



Graphite Grey Height 615mm 2 Columns



Parchment White Height 615mm 2 Columns



Hammered Bronze Height 615mm 2 Columns



French Grey Height 615mm 2 Columns



Willow Green Height 920mm 6 Columns



Satin Black Height 740mm 6 Columns



Antiqued

(French Grey) Height 365mm 6 Columns

Height 625mm 6 Columns




Buttermilk Height 330mm 9 Columns




Antiqued (French Grey)






Above		No. of	Section	Section	Section	Section	Section	Delta 50	Delta 60	Weight (Kg)	Wall Stays (Suitable Fitting)	Wall Mount Bracket
Foundry	Code	Columns	Height (A)	Width (B	Height (C)	Height (D)	Width (E)	BTU's Watts	BTU's Watts	Empty Filled	LD055 LD056 LD103 LD104 LD206	HEF035
Grey	10102/104	2	I.E	70	F00	00	F0	152 45	104 57	25 20		







Code	No. of Columns		Section Width (B)		Section Height (D)			ta 50 Watts			Weigh Empty	( 0)		all Stay: LD056	,		0)	Wall Mount Bracket HEF035
LD213/214	6	365mm	220mm	220mm	I I 0mm	60mm	217	64	257	75	4.3	5	✓	<b>√</b>	✓	<b>√</b>	<b>√</b>	<b>√</b>
JJC078/079	6	625mm	220mm	480mm	105mm	52mm	360	105	460	135	10.1	11.2	✓	<b>√</b>	✓	<b>√</b>	<b>√</b>	✓
LD208/209	6	740mm	220mm	600mm	105mm	60mm	440	129	561	165	9.3	10.5	✓	<b>√</b>	✓	✓	<b>√</b>	<b>√</b>
LD078/079	6	920mm	215mm	790mm	95mm	58mm	559	164	644	189	11.0	12.4	✓	<b>√</b>	✓	<b>√</b>	<b>√</b>	<b>√</b>
LD009/010	9	330mm	330mm	217mm	75mm	56mm	332	97	418	123	7.8	8.9	N/A	N/A	N/A	N/A	N/A	N/A







Left Parchment White

Highlight Polish Height 760mm

More paint finishes on page 3

### The Victorian

A traditional Victorian radiator which was first produced in America in the 1880's.

Today, this simple design gives a contemporary feel, especially when fully polished.



French Grey Height 810mm 4 Columns



Graphite Grey Height 760mm 4 Columns



Ancient Breeze Height 660mm 4 Columns




Antiqued (French Grey) Height 460mm 4 Columns



qued Parchment White irey) Height 325mm 0mm 4 Columns





					000														
Above Antiqued			Section Height (A)		Section Height (C)	Section Height (D)						Weigh	( 0/		all Stays LD056			0)	Wall Mount Bracket HEF035
(Hammered Gold)	JJC057/058	4	325mm	145mm	205mm	80mm	50mm	139	41	175	51	3.2	3.7	✓	✓	✓	✓	✓	✓
	LD060/061	4	460mm	I40mm	310mm	105mm	61mm	185	54	232	68	3.8	4.4	✓	✓	✓	✓	✓	✓
	LD015/016	4	660mm	I40mm	500mm	I15mm	61mm	261	77	330	97	5.6	6.5	✓	✓	✓	✓	✓	✓
10	LD011/012	4	760mm	I40mm	605mm	II5mm	61mm	306	90	386	113	6.5	7.5	✓	✓	✓	✓	✓	✓
18	LD013/014	4	810mm	I60mm	640mm	I20mm	61mm	355	104	451	132	8.0	9.2	✓	✓	✓	✓	✓	✓







Willow Green Height 650mm

More paint finishes on page 3

### The Ribbon










Antiqued (French Grey) Height 500mm



Above Graphite Grey

20



Code					Section Height (D)												ble Fittii	0/	Wall Mount Bracket HEF035
JJC014/015	2	500mm	185mm	340mm	II0mm	215mm	67mm	227	67	282	83	8.3	10.0	✓	<b>√</b>	<b>√</b>	✓	✓	х
JJC001/002	2	650mm	185mm	485mm	I10mm	215mm	67mm	298	87	371	109	10.9	12.9	✓	✓	✓	✓	✓	x
JJC010/011	2	795mm	185mm	630mm	I10mm	215mm	67mm	388	114	490	144	11.8	14.6	<b>√</b>	✓	✓	✓	✓	×







Hand Burnished Height 795mm







Left Satin Polished

Satin Polished Height 810mm

### More paint finishes on page 3

# The Ribbon 4 Column

Originally manufactured by the American Radiator Company, circa 1880. Featuring a Celtic band pattern gracefully flowing down the radiator, originals of this radiator can be found in churches around the world. A four column addition to our Ribbon cast iron radiator range with height 810mm.








Vellum Height 810mm



(French Grey) Height 810mm





Above Satin Polished

| No. of | Section | Secti JJC064/065 4 810mm 265mm 630mm 112mm 290mm 71mm 579 170 740 217 19.2 22 V V V V







### The Antoinette

A highly decorative Regal French design with intricate detailing at the foot and head, connected by a straight-edged vine. Its side is adorned by a subtle midway decoration.








Parchment White Height: 985mm




Willow Green Height: 985mm







Above Highlight Polish No. of Section Section Section Section Section Delta 50 Delta 60 Weight (Kg) Wall Stays (Suitable Fitting) Wall Mount Bracket Code Columns Height (A) Width (B) Height (C) Height (D) Width (E)BTU's Watts BTU's Watts Empty Filled LD055 LD056 LD103 LD104 LD206 HEF035 24 LD180/181 | 1 | 985mm | 155mm | 790mm | 125mm | 76mm | 425 | 125 | 538 | 158 | 14.1 | 16.3 | \( \sqrt{} \) | \









Parchment White Height 670mm

More paint finishes on page 3

## The Churchill

Dating from the 1880's, this style was originally used in Government Buildings. Featuring a superb BTU output per section, this radiator is ideally suited for heating larger rooms.











Buttermilk Height 670mm



Willow Green Height 670mm





Above Hand Burnished	Code					Section Height (D)													Wall Mount Bracket HEF035
20	LD080/081	1	670mm	195mm	500mm	I I 5mm	76mm	431	126	532	156	14.9	17.3	✓	✓	✓	✓	✓	×
/h	I D082/083		975mm	195mm	790mm	140mm	80mm	591	173	755	221	24.6	28.5	1	1	1	1	1	







### The Eton

A high quality classically designed cast iron radiator with integral legs. The Eton's simple design, consisting of straight edges and a curved top, comes in a full range of








French Grey Height 620mm







Above Hand Burnished	Code	No. of Columns	Section Height (A)	Section Width (B)	Section Height (C)	Section Height (D)	Section Width (E)		ta 50 Watts		ta 60 Watts						ble Fitti		Wall Mount Bracket HEF035
riand burnished	JJC082/083		480mm	I50mm	340mm	I00mm	66mm	182	53	231	68	6.7	7.6	✓	x	√	✓	✓	✓
20	JJC080/081		620mm	I50mm	480mm	I00mm	66mm	226	66	283	83	7.6	9.0	✓	х	✓	✓	✓	✓
- 18 m	IIC043/044		770mm	I50mm	630mm	I 00mm	66mm	272	80	343	100	8.9	10.6	-/	· ·	./			







Height 480mm







Left Satin Polished

More paint finishes on page 3


### The Narrow Eton

The Eton's simple design, consisting of straight edges and a curved top, comes in a full range of colours/finishes. A high quality classically designed cast iron radiator with integral legs.

This design is a narrow version of our classic Eton radiators with height 765mm.







Above Buttermilk

| No. of | Section | Delta 50 | Delta 60 | Weight (Kg) | Wall Stays (Suitable Fitting) | Wall Mount Bracket | Columns | Height (A) | Width (B) | Height (C) | Height (D) | Width (E) | BTU's | Watts | BTU's | Watts | Empty | Filled | LD055 | LD056 | LD103 | LD104 | LD206 | HEF035 | LD056 | LD103 | LD104 | LD206 | HEF035 | LD056 | LD103 | LD104 | LD206 | HEF035 | LD056 | LD103 | LD104 | LD206 | LD103 | LD104 |







### The Duchess

This 2 column American radiator has a simple, fresh appearance with a slow curving top and rounded columns.














Height 590mm





Above Foundry Grey 32

| No. of | Section | Delta 50 | Delta 60 | Weight (Kg) | Wall Stays (Suitable Fitting) | Wall Mount Bracket | Columns | Height (A) | Width (B) | Height (C) | Height (D) | Width (E) | BTU's | Watts | BTU's | Watts | BTU's | Watts | Empty | Filled | LD055 | LD056 | LD103 | LD104 | LD206 | HEF035 | LD056 | L LD042/043 2 590mm | 175mm | 450mm | 100mm | 71mm | 298 | 87 | 375 | 110 | 8.8 | 10.4 | \( \sqrt{} \) | \( \sqrt{} \) | \( \sqrt{} \) | \( \sqrt{} \) LD040/041 2 785mm | 175mm | 640mm | 100mm | 71mm | 382 | 112 | 481 | 141 | 11.6 | 13.6 | \( \sqrt{} \s









Height 330mm

More paint finishes on page 3

# The Duchess 4 Column

This American radiator has a simple, fresh appearance with a slow curving top and rounded columns. A real modern classic that will make a feature in any home. A four column variation on our popular Duchess design with height 330mm.



Foundry Grey Height 330mm




Height 330mm



Antiqued (French Grey) Height 330mm





No. of Section Section Section Section Section Delta 50 Delta 60 Weight (Kg) Wall Stays (Suitable Fitting) Wall Mount Bracket Code Columns Height (A) Width (B) Height (C) Height (D) Width (E) BTU's Watts Empty Filled LD055 LD056 LD103 LD104 LD206 HEF035 JJC055/056 | 4 | 330mm | 310mm | 205mm | 70mm | 75mm | 286 | 84 | 357 | 105 | 8.3 | 10.1 | x | x | x | x | x | x



Above Vellum







Left Hand Burnished

Parchment White Height 780mm

### The Cromwell

A traditional Victorian radiator which was first produced in America in the 1880s. Today, this simple design gives a contemporary feel, especially when hand burnished.



Graphite Grey Height 780mm




French Grey Height 635mm



Willow Green Height 485mm





Abov	re
Satin	Black

	No. of	Section	Section	Section	Section	Section	Section	Delt	ta 50	Delt	a 60	Weigh	t (Kg)	W	'all Stay	s (Suita	ble Fitti	ng)	Wall Mount Bracke
Code	Columns	Height (A)	Width (B)	Height (C)	Height (D)	Width (E)	Depth (F)	BTU's	Watts	BTU's	Watts	Empty	Filled	LD055	LD056	LD103	LDI04	LD206	HEF035
JJC047/048	2	485mm	I20mm	335mm	I10mm	I40mm	68mm	175	51	213	120	4.8	5.8	✓	✓	✓	✓	✓	✓
JJC045/046	2	635mm	I20mm	480mm	II0mm	I40mm	68mm	234	69	294	86	6.1	7.4	✓	✓	✓	✓	✓	✓
JJC049/050	2	780mm	I20mm	630mm	I I 0mm	I40mm	68mm	295	87	372	109	7.4	9.0	✓	✓	✓	✓	✓	✓







The Peerless

Formerly manufactured by the American

Radiator Company in the 1900's, this vintage

design has stood the test of time and features a

crisp centre line detail. This model was

originally used in hospitals as the sections

have a wider gap to allow easier cleaning.



Parchment White Height 750mm



Antiqued (French Grey) Height 750mm




Hammered Gold Height 550mm



Willow Green Height 550mm





																(C .			NAZ II NA B	
																			Wall Mount Bra	acket
Code	Columns	Height (A)	Width (B)	Height (C)	Height (D)	Width (E)	Depth (F)	BTU's	Watts	BTU's	Watts	Empty	Filled	LD055	LD056	LD 103	LD10	4 LD20	06 HEF035	
LD202/203	2	550mm	I90mm	400mm	I00mm	215mm	77mm	284	83	355	104	9.1	10.8	✓	✓	√	✓	✓	✓	
LD204/205	2	750mm	I90mm	600mm	I00mm	215mm	77mm	398	117	503	148	11.9	14.3	✓	✓	✓	✓	✓	✓	







Left Satin Polished

More paint finishes on page 3


### The Thistle

Delicate lines entwine around stylised Thistle motifs, giving a distinct Celtic feel to this design.

This attractive radiator has detail right down to the scroll feet, and will bring style and sophistication to any room.







Above Satin Polished

Polished

No. of Code

No. of Code

No. of Section Sec







More paint finishes on page 3

## The Tuscany

Featuring a rounded top and unique concave section, this design offers classic style. The clean shape and subtle sunburst pattern of flowing lines bring a contemporary feel that will complement any decor.



Height 765mm








Antiqued (French Grey) Height 765mm







No. of Section Delta 50 Delta 60 Weight (Kg) Wall Stays (Suitable Fitting) Wall Mount Bracket Code Columns Height (A) Width (B) Height (C) Height (D) Width (E) Depth (F) BTU's Watts BTU's Watts Empty Filled LD055 LD056 LD103 LD104 LD206 HEF035

TBK040/041 2 | 765mm | 160mm | 600mm | 100mm | 180mm | 77mm | 372 | 109 | 468 | 137 | 8.6 | 10.4 | \( \sqrt{} \) | \( \sqrt{} \) | \( \sqrt{} \) | \( \sqrt{} \)







Left Satin Polished

Vintage Copper Height 790mm

## The Dragonfly

With its graceful lines and organic ornamental motifs, the Dragonfly is a true

Art Nouveau design.

Alive with natural decoration, this beautiful and unique radiator makes a striking addition to any room.



Height 790mm




French Grey Height 790mm




Height 790mm



More paint finishes on page 3

















More paint finishes on page 3

# The Liberty 1 Column

Stylised organic motifs, inspired by the Art

Nouveau movement, bring a timeless quality

to this design.

With a strong architectural feel and detail right down to the foot, this radiator will make a striking addition to any room.



Willow Green Height 645mm



Hammered Gold Height 645mm



Buttermilk Height 645mm



Antiqued (French Grey) Height 645mm



Above Satin Polished









Foundry Grey Height 865mm

# The Liberty 2 Column

Stylised organic motifs, inspired by the Art Nouveau movement, bring a timeless quality to this design.

With a strong architectural feel and detail right down to the foot, this radiator will make a striking addition to any room.



Highlight Polish Height 865mm



Parchment White Height 865mm



Ancient Breeze Height 865mm



Graphite Grey Height 865mm



Above Satin Polished









Left

More paint finishes on page 3

### The Deco

This statuesque design combines strong geometric forms with delicate detailing, giving a strong Art Deco look.

Sleek and symmetrical, this radiator will bring a touch of 1930s glamour to any home.



Willow Green Height 795mm



reen Highlight Polish mm Height 795mm




Hammered Bronze Height 585mm



French Grey Height 585mm





Above					Section														Wall Mount Bracket
Satin Polished	Code	Columns	Height (A)	Width (B)	Height (C)	Height (D)	Width (E)	BTU's	Watts	BTU's	Watts	Empty	Filled	LD055	LD056	LD103	LDI04	LD206	HEF035
50	TBK050/051	1	585mm	I40mm	450mm	I00mm	52mm	202	59	253	74	5.2	6.3	Х	х	✓	✓	✓	✓
)()	TBK048/049		795mm	I40mm	660mm	I00mm	52mm	267	78	337	99	7.1	8.4	x	x	✓	✓	✓	✓









More paint finishes on page 3

### The Ornate

First used in turn of the 20th Century

America, the highly decorate Ornate cast iron radiator is reminiscent of the Art & Crafts era and is adorned with floral and natural patterns.

It is further enhanced by the unique figure-of-8 shaped design.



Willow Green Height 940mm



Vellum Height 940mm




Ancient Breeze Height 940mm



Highlight Polish Height 940mm








No. of Section Section Section Section Section Section Section Section Delta 50 Delta 60 Weight (Kg) Wall Stays (Suitable Fitting) Wall Mount Bracket Depth (F) BTU's Watts BTU's Watts BTU's Watts Empty Filled LD055 LD056 LD103 LD104 LD206 HEF035

JJC068/069 2 940mm 780mm 115mm 220mm 780mm 780mm 15mm 220mm 70mm 457 134 582 171 16.8 19.3 V x V V V V X







### The Turin

With its demure stature the Turin is perfect example of a small but mighty cast iron radiator. It is perfect for placing underneath windows but is very comfortable in all manner of places within both classic and contemporary homes.


Swirling patterns on the shoulders and legs beautifully finish this 5 column radiator.








Highlight Polish Height 600mm





Above
Ancient Breeze

Code

No. of | Section |









Left Hand Burnishe

Bespoke Colour Height 775mm

More paint finishes on page 3

## The Sleeping Swan

Regal, graceful and exuding sophistication.

The original radiator dates back to late

19th Century Belgium its design is distinctly

European. The flowery patterns blossom into

elegant looking swan silhouettes and is encased

in a wing shape reinforcing the swan theme.



Hammered Gold Height 775mm



Gold Graphite Grey 5mm Height 775mm




French Grey Height 775mm




Ancient Breeze Height 775mm



Hand Burnished











Height 845mm

More paint finishes on page 3

### The Scroll

A tall and slim, square ended radiator with 2 columns. It boasts a delightful series of swirls and floral patterns, separated by crisp dividing lines. It is finished with uniquely inward scroll feet that complete its stylish look.















Height 845mm



Hand Burnished

58



No. of Section Delta 50 Delta 60 Weight (Kg) Wall Stays (Suitable Fitting) Wall Mount Bracket Columns Height (A) Width (B) Height (C) Height (D) Width (E) Depth (F) BTU's Watts BTU's Watts Empty Filled LD055 LD056 LD103 LD104 LD206 HEF035 JJC072/073 2 845mm 190mm 635mm 110mm 205mm 66mm 394 116 497 146 13.8 16.6 ✓ ✓ ✓ ✓ ✓







Left Hand Burnished

Ancient Breeze Height 795mm

Parchment White Height 610mm

More paint finishes on page 3

### The Princess

Believed to be originally manufactured by the Its shallow depth is ideally suited for hallways and narrow rooms. Originally known as the
















(Vellum) Height 460mm



Above Antiqued (Vellum)



Code				Section Height (C)										all Stays			0/	Wall Mount Bracket HEF035
LD070/071	2	460mm	125mm	300mm	I05mm	76mm	171	50	213	62	5.3	6.2	√	√	√	√	✓	✓
LD072/073	2	610mm	125mm	450mm	105mm	75mm	226	66	281	83	7.8	8.8	✓	✓	✓	√	✓	✓
LD092/093	2	795mm	125mm	640mm	105mm	76mm	315	92	397	116	9.3	119	_/			1		






### The Colossus

An ample framed towel rail, its design is a classic style but with striking knuckles and it boasts 40mm wide tubing that gives it a grand and impressive feel. The bigger dimensions result in an increased heat output and it is dual fuel compatible.





TOW015 Colossus 6 Bar Nickel Finish Towel Rail


TOW008 Colossus 4 Bar Chrome Finish Towel Rail











	Code/Finish	ı				Overall	Overall	Inlet Pipe Centre	Inlet Pipe	Depth from	Inlet Pipe Centre	Delt	a 60
Copper	Chrome	Nickel	D	escription	1	Height (A)	Width (B)	Height (C)	Width (D)	Wall (E)	of Wall Width (F)	BTU's	Watts
TOW001	TOW002	TOW003	3 Bar Floor	Mounted	Towel Rail	1000mm	650mm	105mm	380mm	200mm	I50mm	714	209
TOW004	TOW005	TOW006	3 Bar Floor	Mounted	Towel Rail	1000mm	1150mm	I05mm	880mm	200mm	I50mm	1047	307
TOW007	TOW008	TOW009	4 Bar Floor	Mounted	Towel Rail	1300mm	650mm	105mm	380mm	200mm	I50mm	918	268
TOW010	TOW011	TOW012	4 Bar Floor	Mounted	Towel Rail	1300mm	1150mm	I05mm	880mm	200mm	I50mm	1169	343
TOW013	TOW014	TOW015	6 Bar Floor	Mounted	Towel Rail	1800mm	650mm	I05mm	380mm	200mm	I50mm	1261	369
TOW016	TOW017	TOW018	6 Bar Floor	Mounted	Towel Rail	1800mm	1150mm	105mm	880mm	200mm	I50mm	1594	467










TOW027 Colossus Wall Mounted 4 Bar Nickel Finish Towel Rail





TOW022 Colossus Horse Copper Finish Towel Rail



TOW020 Colossus Horse Chrome Finish Towel Rail








	Code/Finish	1		Overall	Overall	Inlet Pipe Centre	Inlet Pipe	Depth from	Inlet Pipe Centre	Delt	ta 60
Copper	Chrome	Nickel	Description	Height (A)	Width (B)	Height (C)	Width (D)	Wall (E)	of Wall Width (F)	BTU's	Watts
TOW025	TOW026	TOW027	4 Bar Wall Mounted Towel Rail	1000mm	600mm	N/A	500mm	185.5mm	I50mm	862	253
TOW028	TOW029	TOW030	4 Bar Wall Mounted Towel Rail	1000mm	II00mm	N/A	1000mm	185.5mm	I50mm	1120	328
TOW031	TOW032	TOW033	5 Bar Wall Mounted Towel Rail	1300mm	600mm	N/A	500mm	185.5mm	I50mm	1055	309
TOW034	TOW035	TOW036	5 Bar Wall Mounted Towel Rail	1300mm	1150mm	N/A	1050mm	185.5mm	150mm	1385	406



TOW020 Colossus Horse Chrome Finish Towel Rail



	Code/Finish	1			Overall	Overall	Inlet Pipe Centre	Inlet Pipe	Depth from	Inlet Pipe Centre	Delt	a 60
Copper	Chrome	Nickel	Descripti	ion	Height (A)	Width (B)	Height (C)	Width (D)	Wall (E)	of Wall Width (F)	BTU's	Watts
TOW019	TOW020	TOW021	7 Bar Horse To	owel Rail	935.5mm	624.5mm	I30mm	370mm	350mm	I 80mm	1618	474
TOW022	TOW023	TOW024	7 Bar Horse To	owel Rail	935.5mm	1124.5mm	I30mm	870mm	350mm	180mm	1946	570



The inserted cast iron radiators can be painted in your choice of colour.

More paint finishes on page 3



Left: Copper Finish

Broughton QSS009F Chrome Finish Towel Radiator With Hand Burnished Cast Iron Radiator

Also Available: Broughton QSS010 Copper Finish Towel Radiator With Cast Iron Radiator

### Towel Radiators

Influenced by original Victorian designs, these towel rails are available in a high quality chrome or copper finish.


They come with an integral radiator in cast iron or steel options, offering an attractive and efficient bathroom solution.




Chrome Finish Towel Radiator
With Parchment White (Antiqued)
Cast Iron Radiator



Copper Finish Towel Radiator With Hammered Gold (Antiqued) Cast Iron Radiator






	Overall	Overall	Inlet Pipe Centre	Inlet Pipe	Depth from	Inlet Pipe Centre	Del	ta 60
Code	Height (A)	Width (B)	Height (C)	Width (D)	Wall (E)	of Wall Width (F)	BTU's	Watts
QSS009/010	960mm	675mm	105mm	528mm	230mm	105mm	2407*	705*
QSS011/012	960mm	675mm	I05mm	528mm	230mm	105mm	2250*	659*
						,	kE-stoom	

















	Overall	Overall	Inlet Pipe Centre	Inlet Pipe	Depth from	Inlet Pipe Centre	Delta 60	)
Code	Height (A)	Width (B)	Height (C)	Width (D)	Wall (E)	of Wall Width (F)	BTU's   Wat	tts
QSS014	980mm	590mm	I I 5mm	435mm	230mm	I00mm	2340* 685	*
QSS013	960mm	755mm	I05mm	600mm	230mm	I00mm	3600* 105	5*
						:	*Estimated	







	Overall	Overall	Inlet Pipe Centre	Inlet Pipe	Depth from	Inlet Pipe Centre	Delta 60
Code	Height (A)	Width (B)	Height (C)	Width (D)	Wall (E)	of Wall Width (F)	BTU's Watts
QSS001	960mm	670mm	I00mm	520mm	230mm	I I 0mm	3730* 1093*
QSS003	960mm	540mm	I00mm	385mm	230mm	II0mm	2820* 826*
							*Estimated







Ermine 910mm QSS031 Copper Finish Towel Rail Ermine 778mm QSS028 Chrome Finish Towel Rail Also Available: Ermine 910mm QSS030 Chrome Finish Towel Rail Also Available: Ermine 778mm QSS029 Copper Finish Towel Rail











	Overall	Overall	Inlet Pipe Centre	Inlet Pipe	Depth from	Inlet Pipe Centre	Delta 60	
Code	Height (A)	Width (B)	Height (C)	Width (D)	Wall (E)	of Wall Width (F)	BTU's   Watts	
QSS033/034	1550mm	626mm	I00mm	574mm	I30mm	105mm	602   176	
QSS028/029	778mm	686mm	I00mm	558mm	254mm	I27mm	1731* 508*	
QSS030/031	910mm	1000mm	I00mm	868mm	254mm	I27mm	2267* 636*	
							*Estimated	





	Overall	Overall	Inlet Pipe Centre	Inlet Pipe	Depth from	Inlet Pipe Centre	Del	ta 60
Code	Height (A)	Width (B)	Height (C)	Width (D)	Wall (E)	of Wall Width (F)	BTU's	Watts
QSS005/006	965mm	675mm	I00mm	520mm	165mm	155mm	527*	154*
QSS015/056	770mm	500mm	N/A	425mm	I30mm	50mm	521*	153*
							*Estimat	tod





Carron Throttle 15mm Inlet

1/2" Radiator Bush Required

Manual Valve Chrome



LD098 Carron Throttle I5mm Inlet Manual Valve Antique Brass 1/2" Radiator Bush Required



QSS046 Crocus Wheel 15mm Inlet Manual Valve Black Nickel 1/2" Radiator Bush Required



Crocus Wheel 15mm Inlet Manual Valve Antique Brass 1/2" Radiator Bush Required







Kingsgrove 15mm Inlet Thermostatic Valve Brass 1/2" Radiator Bush Required







Crocus Wheel 15mm Inlet Manual Valve Satin Nickel 1/2" Radiator Bush Required Right QSS045



Crocus Wheel 15mm Inlet Manual Valve Chrome 1/2" Radiator Bush Required





QSS019 Crocus Wheel 15mm Inlet Right QSS018







QSS017 Crocus Wheel 15mm Inlet Thermostatic Valve Brass 1/2" Radiator Bush Required



QSS042 Crocus Wheel 15mm Inlet Thermostatic Valve Black Nickel 1/2" Radiator Bush Required



Thermostatic Valve Satin Nickel 1/2" Radiator Bush Required



Daisy Wheel 15mm Inlet

Manual Valve Antique Brass

3/4" Radiator Bush Required

LDI30

LDI30





Whitworth 22mm Inlet Manual Satin Nickel

3/4" Radiator

**Bush Required** 



LD097 3/4" Radiator Bush Required

Right: LD118 Whitworth 22mm Inlet Whitworth 22mm Inlet Manual Valve Brass Manual Valve Chrome 3/4" Radiator **Bush Required** 







Daisy Wheel 15mm Inlet

Manual Valve Satin Nickel 3/4" Radiator Bush Required





LD021

Daisy Wheel 15mm Inlet

3/4" Radiator Bush Required

Manual Valve Brass





LD096 Newton 22mm Inlet Manual Valve Brass I" Radiator Bush Required

LD113 Newton 22mm Inlet Manual Valve Satin Nickel I" Radiator Bush Required

Right: LD112 Newton 22mm Inlet Manual Valve Chrome I" Radiator Bush Required







Left: LD094 LDI15 Brunel 22mm Inlet Brunel 22mm Inlet Manual Valve Brass Manual Valve Satin Nickel 1" Radiator Bush Required 1" Radiator Bush Required

LDII4 Brunel 22mm Inlet Manual Valve Chrome I" Radiator Bush Required







Right: LD095 Telford 15mm Inlet Manual Valve Brass 1/2" Radiator Bush Required








1/2" Radiator Bush Required









Left LD090













LD122





Left LD099 LDI00 Brass Antiqued Brass

LD101

Satin Nickel





HEF014/015/016 Reclaimed Elm Shelf

HEF010

Cast Iron Bracket (Pair)




Ca	st Iron Rac	liator Cove	Granite Top to Fit				
Code	Height	Width	Depth	Code	Height	Width	Depth
RX153	850mm	1790mm	320mm	HEF249	30mm	1830mm	345mm



 Cast Iron Radiator Cover
 Granite Top to Fit

 Code
 Height
 Width
 Depth
 Code
 Height
 Width
 Depth

 RX152
 900mm
 1580mm
 320mm
 HEF248
 30mm
 1650mm
 355mm



Left Cast Iron

Bracket

C3C3C3C3C3C3

RX197

Ca	st Iron Rad	liator Cove	r	Granite Top to Fit				
Code	Height	Width	Depth	Code	Height	Width	Dept	
RX197	900mm	900mm	330mm	HEF252	30mm	940mm	355m	
RX198	850mm	1010mm	320mm	HFF253	30mm	1030mm	345m	

RX198

Above White Marble Shelf Code Height (A) Depth (B) Width (C)

HEF010 300mm 250mm N/A

HEF011/014 30mm 265mm 800mm

HEF012/015 30mm 265mm 920mm

HEF013/016 30mm 265mm 1050mm